

LAND CRUISER 300



ENGINE 6 6 6 Number of cylinders 6 6 6 Engine Type Uengine Vengine Vengine Fuel type Diesel Diesel Diesel Displacement (cc) 3346 3346 3346 Max power KWrom 225/4000 325/4000 225/4000 Max power KWrom 225/4000 36/4000 30/4000 Max power KWrom 700/1600-2600 700/1600-2600 700/1600-2600 Body style Station wagon Station wagon Station wagon Station wagon 5 doors 5 doors 5 doors Dimensions (Lxwxh) in mm 5115 x 1980 x 1945 5115 x 1980 x 1945 5130 x 1980 x 1920 Ground clearance (mm) 235 235 235 Vieelbase (mm) 2350 2850 2850 Transmission All time 4x4 All time 4x4 All time 4x4 Greathox Automatic Automatic Automatic Rear differential United sitp United sitp United sitp United sitp United sitp 10 2605 30 Curb weight (kg) 300 30 30 30 Curb weight (kg) 3230 3230 323	TECHNICAL CHARACTERISTICS	LC300 3.3D GX-R 10-AT	LC300 3.3D VX 10-AT	LC300 3.3D VX-R 10-AT
Engine Type V engine V engine V engine V engine Fuel type Diesel Diesel Diesel Displacement (cc) 3346 3346 3346 Max power HV/rpm 225/4000 225/4000 306/4000 Max power HP/rpm 306/4000 306/4000 306/4000 Max power HV/rpm 510 x 1980 x 1945 5115 x 1980 x 1945 5130 x 1980 x 1920 Dimensions (Lxwxh) in mm 5115 x 1980 x 1945 5130 x 1980 x 1920 235 235 Ground clearance (mm) 235 235 235 235 235 Transmission All time 4x4 All time 4x4 Gearbox Automatic Automatic Automatic Automatic 30 30 30 30 2605 233 232	ENGINE			
Fuel typeDieselDieselDieselDisplacement (cc)334633463346Max power KW/rpm225/4000325/4000306/4000Max torque Nm700/1600-2600700/1600-2600700/1600-2600BODY5tation wagonStation wagonStation wagonBody styleStation wagonStation wagonStation wagonNumber of doors5 doors5 doors5 doorsDimensions (Lxxxh) in mm5115 x 1980 x 19455115 x 1980 x 19455130 x 1980 x 1920Ground clearance (mm)235235235TransmissionAlt time 4x4Alt time 4x4Alt time 4x4GearboxAutomaticAutomaticAutomaticGrear differentialManual lockingManual lockingManual lockingVelight/CAPACITIES808080Puel tank capacity (L)808080Additional fuel tank capacity (L)9026352635Curb weight (kg)3230323032303230Number of seats777BRAKESVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSupersionDouble triangleDouble triangleDouble triangleRar differentialLink suspensionLink suspensionLink suspensionKapacity (L)90263526352605Gross whick weight (kg)323032303230Parking brakeVentilated discs<	Number of cylinders	6	6	6
Displacement (c) 3346 3346 3346 Max power KW/rpm 225/4000 225/4000 225/4000 Max power KW/rpm 306/4000 306/4000 306/4000 Max power KW/rpm 306/4000 306/4000 306/4000 BODY 700/1600-2600 700/1600-2600 700/1600-2600 BODY Station wagon Station wagon Station wagon Number of doors 5 doors 5 doors 5 doors Dimensions (Lowxh) in mm 5115 x 1980 x 1945 5113 x 1980 x 1940 1920 Ground clearance (mm) 285 235 235 Maclearance (mm) 285 2850 2850 Carbox Automatic Automatic Automatic Carbox Automatic Manual locking Limited slip Central differential Manual locking Manual locking 30 Curb weight (kg) 30 30 30 30 Curb weight (kg) 3230 3230 3230 3230 Number of seas Ventilated discs <td>Engine Type</td> <td>V engine</td> <td>V engine</td> <td>V engine</td>	Engine Type	V engine	V engine	V engine
Max power KW/rpm225/4000225/4000225/4000Max power KW/rpm306/4000306/4000306/4000Max torque Nm700/1600-2600700/1600-2600BOdy styleStation wagonStation wagonNumber of doors5 doors5 doors5 doorsDimensions (Lxxh) in mm5115 x 1980 x 19455130 x 1980 x 1980 x 1980Ground clearance (mm)235235235Transmission285028502850TransmissionAll time 4x4All time 4x4All time 4x4GearboxAutomaticAutomaticAutomaticRear differentialManual lockingLimited slipLimited slipFuel tank capacity (L)80808080Additional fuel tank capacity (L)30226552655Curb weight (kg)323032303230Number of seatsVentilated discsVentilated discsVentilated discsProt suspensionDouble triangleDouble triangleDouble triangleRakesVentilated discsVentilated discsVentilated discsProt suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspensionLink suspensionLink suspensionAdaptive variable suspension265/55 R18265/55 R18265/55 R20Front suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspensionLink SuspensionLink suspensionMaxie265/55 R18265/55 R18265	Fuel type	Diesel	Diesel	Diesel
Max power HP/rpm306/4000306/4000306/4000Max torque Nm700/1600-2600700/1600-2600BoDYBody styleStation wagonStation wagonNumber of doors5 doors5 doorsDimensions (Lxwxh) in mm5115 x 1980 x 19455113 x 1980 x 1945Ground clearance (mm)235235Vheelbase (mm)28502850TransmissionAll time 4x4All time 4x4AttornaticAutomaticAutomaticGearboxAutomaticAutomaticAutomaticJanited slipLimited slipVielGHT/CAPACITIES8030Fuel tank capacity (L)8030Additional fuel rank capacity (L)3030Curb weight (kg)32303230TranskeVentilated discsVentilated discsVentilated discsVentilated discsVentilated discsFront brakeVentilated discsVentilated discsSuspensionDouble triangleDouble triangleDouble triangleDouble triangleDouble triangleParking brake265/65 R18265/65 R18SuspensionLink suspensionLink suspensionAdaptive variable suspensionLink subpensionToyota Electroic ModulatedSuspension265/65 R18265/65 R18265/55 R20VreelsAluminiumAluminiumAluminiumHandinumAluminiumAluminiumAluminiumAluminiumAluminium	Displacement (cc)	3346	3346	3346
Max torque Nm700/1600-2600700/1600-2600BODYBody styleStation wagonStation wagonNumber of doors5 doors5 doors5 doorsDIMENSIONSDimensions (txwth) in mm5115 x 1980 x 19455115 x 1980 x 19455130 x 1980 x 1920Ground clearance (mm)235235235TRANSMISSION285028502850TransmissionAll time 4x4All time 4x4All time 4x4GrearboxAutomaticAutomaticGrearboxAutomaticB080Beachty (L)303030Curtal differentialManual lockingLimited slipVelichtric Apacity (L)303030Cards active (Lg)808080Additional fuel tank capacity (L)3030BRAKES77Front brakeVentilated discsVentilated discsVentilated discsVentilated discsVentilated discsSUSPENSIONSElectricElectricFront brakeVentilated discsVentilated discsVentilated discsVentilated discsVentilated discsVertilated valuepensionLink suspensionLink suspensionAdaptive variable suspension265/65 R18265/55 R18SUSPENSIONS265/65 R18265/55 R18Tyre dimensionLink suspensionLink suspensionAdaptive variable suspensionLink suspensionLink suspensionAdaptive variable suspensionLink suspension <th< td=""><td>Max power kW/rpm</td><td>225/4000</td><td>225/4000</td><td>225/4000</td></th<>	Max power kW/rpm	225/4000	225/4000	225/4000
BODY Station wagon Station wagon Station wagon Body style Station wagon Station wagon Station wagon Dimensions (Lxwxk) in mm 5115 x 1980 x 1945 5115 x 1980 x 1945 5130 x 1980 x 1920 Ground clearance (mm) 235 235 235 Wheelbase (mm) 2850 2850 2850 Transmission All time 4x4 All time 4x4 All time 4x4 Gearbox Automatic Automatic Automatic Gearbox Automatic Automatic Bady style Velicifity(CAPACITIES B0 80 80 80 Velicifity(kg) 2605 2635 2605 2635 Groutb weight (kg) 30 30 30 30 Curb weight (kg) 3230 3230 3230 3230 Number of seats 7 7 7 80 BrackES Ventilated discs Ventilated discs Ventilated discs Ventilated discs Front brake Ventilated discs Ventilated discs Ventilated discs Ventilated discs Front brake Venti	Max power HP/rpm	306/4000	306/4000	306/4000
Body styleStation wagonStation wagonStation wagonNumber of doors5 doors5 doors5 doorsDIMENSIONSDimensions (Lxwxh) in mm5115 x 1980 x 19455115 x 1980 x 19455130 x 1980 x 1920Ground clearance (mm)235235235Wheelbaac (mm)285028502850TRANSMISSIONTransmissionAll time 4x4All time 4x4All time 4x4GearboxAutomaticAutomaticAutomaticRear differentialManual lockingLimited slipLimited slipWEIGHT/CAPACITIES80808030Curb weight (kg)303303030Gross vehicle weight (kg)3230323032303230Number of seats777BRAKESEEEFront brakeVentilated discsVentilated discsVentilated discsSUSPENSIONSE1Cafors vehicle weight (kg)Double triangleRear brakeDouble triangleDouble triangleDouble triangleParking brake265/65 R18265/65 R18265/65 R18SUSPENSIONSToyota Electroic Modulated SuspensionHear suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspensionLink suspensionLink suspensionSuspensionFront brake265/65 R18265/65 R18265/65 R18SUSPENSIONS	Max torque Nm	700/1600-2600	700/1600-2600	700/1600-2600
Number of doors5 doors5 doors5 doorsDimensions (Lwxhb) in mm5115 x 1980 x 19455115 x 1980 x 19455115 x 1980 x 1920Ground clearance (mm)235235235Wheelbase (mm)285028502850TransmissionAll time 4x4All time 4x4All time 4x4GrearboxAutomaticAutomaticAutomaticRear differentialManual lockingLimited slipLimited slipCentral differentialLimited slipLimited slipLimited slipVEIGHT/CAPACITIES80808030Groub cle tank capacity (L)30303030Curb weight (kg)260526352605Gross vehicle weight (kg)323032303230Number of seats777TrakeVentilated discsVentilated discsVentilated discsFront brakeVentilated discsVentilated discsVentilated discsSUSPENSIONSToyota ElectricFront suspensionDouble triangleDouble triangleDouble triangleAdaptive variable suspensionLink suspensionLink suspensionToyota Electric Modulated SuspensionTYRES25/65 R18265/65 R18265/65 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX-R 10-ATLC300 3.3D VX-R 10-ATVheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	BODY			
DIMENSIONSDimensions (Lxwxh) in mm5115 x 1980 x 19455115 x 1980 x 19455113 x 1980 x 1945Ground clearance (mm)235235235Vheelbase (mm)285028502850TRANSMISSIONItime 4x4All time 4x4All time 4x4Graund clearance (mm)All time 4x4All time 4x4Rear differentialManual lockingManual lockingCentral differentialLimited slipLimited slipVEIGHT/CAPACITIESForForFuel tank capacity (L)8080Additional fuel tank capacity (L)302635Cross vehicle weight (kg)26052635Ords seats77PARKESYentilated discsVentilated discsFront brakeVentilated discsVentilated discsParking brakeElectricElectricSUSPENSIONSForSuspensionFront suspensionDouble triangleDouble triangleAdaptive variable suspensionLink suspensionLink suspensionAdaptive variable suspension265/65 R18265/65 R18Coros tell265/65 R18265/65 R18Coros tellCaton 3.3D GX-R 10-ATLC300 3.3D VX 10-ATFront grillBlackChromeChrome </td <td>Body style</td> <td>Station wagon</td> <td>Station wagon</td> <td>Station wagon</td>	Body style	Station wagon	Station wagon	Station wagon
Dimensions (Lxwxh) in mm5115 x 1980 x 19455115 x 1980 x 19455113 x 1980 x 1920Ground clearance (mm)235235235Wheelbase (mm)285028502850TRANSMISSION285028502850TransmissionAll time 4x4All time 4x4All time 4x4GearboxAutomaticAutomaticAutomaticRear differentialManual lockingLimited slipLimited slipCentral differentialLimited slipLimited slipLimited slipVeliGHT/CAPACITIES80808080Fuel tank capacity (L)80808030Additional fuel tank capacity (L)3026352605Gross vehicle weight (kg)323032303230Number of seats777BRAKESVentilated discsVentilated discsVentilated discsParking brakeVentilated discsVentilated discsVentilated discsParking brakeDouble triangleDouble triangleDouble triangleFront brake265/65 R18265/65 R18265/55 R20FYRES265/65 R18265/55 R18265/55 R20TYRES12600 3.3D GX-R 10-ATLC300 3.3D GX-R 10-ATLC300 3.3D CX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Number of doors	5 doors	5 doors	5 doors
Ground clearance (mm)235235235Wheelbase (mm)285028502850TRANSMISSION285028502850TransmissionAll time 4x4All time 4x4All time 4x4GearboxAutomaticAutomaticAutomaticRear differentialManual lockingManual lockingLimited slipCentral differentialLimited slipLimited slipLimited slipWEIGHT/CAPACITIESUnited slipLimited slipLimited slipFuel tank capacity (L)808080Additional fuel tank capacity (L)303030Curb weight (kg)260526352605Gross vehicle weight (kg)323032303230Number of seats777BRAKESVentilated discsVentilated discsVentilated discsFront brakeVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSUSPENSIONSIntegen Singen Sing	DIMENSIONS			
Wheelbase (mm)285028502850TRANSMISSIONTransmissionAll time 4x4All time 4x4All time 4x4GearboxAutomaticAutomaticAutomaticRear differentialManual lockingManual lockingLimited slipCentral differentialLimited slipLimited slipLimited slipWEIGHT/CAPACITIESB0808080Fuel tank capacity (L)80808030Additional fuel tank capacity (L)80803030Curb weight (kg)3230260526352605Gross vehicle weight (kg)323032303230Number of seats7777Front brakeVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSUSPENSIONSElectricElectricElectricFront suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspension265/65 R18265/65 R18265/55 R20TYRES265/65 R18265/65 R18265/55 R20TYRES265/65 R10AluminiumAluminiumFront spellAluminiumAluminiumAluminiumFront spellAluminiumAluminiumAluminium	Dimensions (Lxwxh) in mm	5115 x 1980 x 1945	5115 x 1980 x 1945	5130 x 1980 x 1920
TRANSMISSIONTransmissionAll time 4x4All time 4x4All time 4x4GearboxAutomaticAutomaticAutomaticGearboxManual lockingManual lockingLimited slipCentral differentialLimited slipLimited slipLimited slipWEIGHT/CAPACITIES808080Fuel tank capacity (L)808080Additional fuel tank capacity (L)303030Curb weight (kg)260526352605Gress vehicle weight (kg)323032303230Number of seats777BRAKESForn trakeVentilated discsVentilated discsForn trakeVentilated discsVentilated discsVentilated discsSUSPENSIONSElectricElectricElectricFront suspensionDouble triangleDouble triangleDouble triangleRear suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspension265/65 R18265/65 R18265/55 R20TYre dimension265/65 R18265/55 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront srillBlackChromeChrome	Ground clearance (mm)	235	235	235
TransmissionAll time 4x4All time 4x4All time 4x4GearboxAutomaticAutomaticAutomaticRear differentialManual lockingManual lockingLimited slipCentral differentialLimited slipLimited slipLimited slipWEIGHT/CAPACITIESImited slipLimited slip80Fuel tank capacity (L)808080Additional fuel tank capacity (L)303030Curb weight (kg)260526352605Gross vehicle weight (kg)323032303230Number of seats777Front brakeVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSUSPENSIONSToyotal electronicFront suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspension265/65 R18265/65 R18265/55 R20FYRESToyota Electronic ModulatedTYRESToyota Electronic ModulatedFXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX-R 10-ATVheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Wheelbase (mm)	2850	2850	2850
GearboxAutomaticAutomaticAutomaticRear differentialManual lockingManual lockingLimited slipCentral differentialLimited slipLimited slipLimited slipWEIGHT/CAPACITIESImited slipLimited slipImited slipFuel tank capacity (L)808080Additional fuel tank capacity (L)303030Curb weight (kg)260526352605Gross vehicle weight (kg)323032303230Number of seats777BRAKESVentilated discsVentilated discsVentilated discsFront brakeVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSUSPENSIONSToyota Electronic Modulated SuspensionFront suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspension265/65 R18265/55 R18265/55 R20FYret Bimesion265/65 R18265/55 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	TRANSMISSION			
Rear differentialManual lockingManual lockingLimited slipCentral differentialLimited slipLimited slipLimited slipWEIGHT/CAPACITIESFuel tank capacity (L)808080Additional fuel tank capacity (L)303030Curb weight (kg)260526352605Gross vehicle weight (kg)323032303230Number of seats777BRAKES777Front brakeVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSUSPENSIONSDouble triangleDouble triangleDouble triangleRear brakeLink suspensionLink suspensionInk suspensionAdaptive variable suspension265/65 R18265/55 R20Toyota Electronic Modulated Suspension (TEMS)TYRESEXTERIORLC300 3.3D CX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Transmission	All time 4x4	All time 4x4	All time 4x4
Central differentialLimited slipLimited slipLimited slipWEIGHT/CAPACITIESFuel tank capacity (L)808080Additional fuel tank capacity (L)303030Curb weight (kg)260526352605Gross vehicle weight (kg)323032303230Number of seats777BRAKES777Front brakeVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSUSPENSIONS55SuspensionLink suspensionFront suspensionDouble triangleDouble triangleDouble triangleRear suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspension265/65 R18265/55 R20265/55 R20FYRESCatoo 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Gearbox	Automatic	Automatic	Automatic
WEIGHT/CAPACITIESFuel tank capacity (L)808080Additional fuel tank capacity (L)303030Curb weight (kg)260526352605Gross vehicle weight (kg)323032303230Number of seats777BRAKES777Front brakeVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSUSPENSIONS551000ble triangleDouble triangleFront suspensionDouble triangleDouble triangleDouble triangleAdaptive variable suspension265/65 R18265/55 R18265/55 R20Tyree Simension265/65 R18265/55 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Rear differential	Manual locking	Manual locking	Limited slip
Fuel tank capacity (L)808080Additional fuel tank capacity (L)303030Curb weight (kg)260526352605Gross vehicle weight (kg)323032303230Number of seats777BRAKES777Front brakeVentilated discsVentilated discsVentilated discsParking brakeVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSUSPENSIONS-Toyota Electronic ModulatedFront suspensionDouble triangleDouble triangleDouble triangleAdaptive variable suspensionToyota Electronic ModulatedSUSPENSIONSToyota Electronic ModulatedFront suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspension265/65 R18265/65 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Central differential	Limited slip	Limited slip	Limited slip
Additional fuel tank capacity (L)303030Curb weight (kg)260526352605Gross vehicle weight (kg)323032303230Number of seats777BRAKES777Brank ESVentilated discsVentilated discsVentilated discsFront brakeVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSUSPENSIONSFront suspensionLink suspensionLink suspensionAdaptive variable suspensionLink suspensionLink suspensionAdaptive variable suspension265/65 R18265/65 R18ZEXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	WEIGHT/CAPACITIES			
Curb weight (kg)260526352605Gross vehicle weight (kg)323032303230Number of seats777BRAKESFront brakeVentilated discsVentilated discsVentilated discsRear brakeVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSUSPENSIONSToyota Electronic ModulatedSuspensionLink suspensionRear suspensionDouble triangleDouble triangleDouble triangleAdaptive variable suspensionToyota Electronic Modulated Suspension (TEMS)Tyree S265/65 R18265/65 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Fuel tank capacity (L)	80	80	80
Gross vehicle weight (kg)323032303230Number of seats777BRAKESFront brakeVentilated discsVentilated discsVentilated discsRear brakeVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSUSPENSIONSFront suspensionDouble triangleDouble triangleRear suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspensionToyota Electroic Modulated Suspension (TEMS)TYRESTyre dimension265/65 R18265/65 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Additional fuel tank capacity (L)	30	30	30
Number of seats777BRAKESFront brakeVentilated discsVentilated discsVentilated discsRear brakeVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSUSPENSIONSEnd to the suspensionDouble triangleDouble triangleDouble triangleRear suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspensionToyota Electronic Modulated Suspension (TEMS)Tyree dimension265/65 R18265/65 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Curb weight (kg)	2605	2635	2605
BRAKESFront brakeVentilated discsVentilated discsRear brakeVentilated discsVentilated discsParking brakeElectricElectricSUSPENSIONSFront suspensionDouble triangleDouble triangleRear suspensionLink suspensionLink suspensionAdaptive variable suspension265/65 R18265/65 R18Tyre dimension265/65 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Gross vehicle weight (kg)	3230	3230	3230
Front brakeVentilated discsVentilated discsVentilated discsRear brakeVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSUSPENSIONSEront suspensionDouble triangleDouble triangleDouble triangleRear suspensionLink suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspensionToyota Electronic Modulated SuspensionTYRESTyre dimension265/65 R18265/65 R18265/55 R20EXTERIORAluminiumAluminiumAluminiumWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Number of seats	7	7	7
Rear brakeVentilated discsVentilated discsVentilated discsParking brakeElectricElectricElectricSUSPENSIONSFront suspensionDouble triangleDouble triangleDouble triangleRear suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspensionToyota Electronic Modulated Suspension (TEMS)TYRESTyre dimension265/65 R18265/65 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	BRAKES			
Parking brakeElectricElectricSUSPENSIONSFront suspensionDouble triangleDouble triangleDouble triangleRear suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspensionToyota Electronic Modulated Suspension (TEMS)TYRESTyre dimension265/65 R18265/65 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Front brake	Ventilated discs	Ventilated discs	Ventilated discs
SUSPENSIONSFront suspensionDouble triangleDouble triangleDouble triangleRear suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspensionToyota Electronic Modulated Suspension (TEMS)TYRESTyre dimension265/65 R18265/65 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Rear brake	Ventilated discs	Ventilated discs	Ventilated discs
Front suspensionDouble triangleDouble triangleDouble triangleRear suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspensionToyota Electronic Modulated Suspension (TEMS)TYRESTyre dimension265/65 R18265/65 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Parking brake	Electric	Electric	Electric
Rear suspensionLink suspensionLink suspensionLink suspensionAdaptive variable suspensionToyota Electronic Modulated Suspension (TEMS)TYRESTyre dimension265/65 R18265/65 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	SUSPENSIONS			
Adaptive variable suspensionToyota Electronic Modulated Suspension (TEMS)TYRESTyre dimension265/65 R18265/65 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Front suspension	Double triangle	Double triangle	Double triangle
Adaptive variable suspensionSuspension (TEMS)TYRESTyre dimension265/65 R18265/55 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Rear suspension	Link suspension	Link suspension	Link suspension
Tyre dimension265/65 R18265/55 R18265/55 R20EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome		· .		
EXTERIORLC300 3.3D GX-R 10-ATLC300 3.3D VX 10-ATLC300 3.3D VX-R 10-ATWheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome				
WheelsAluminiumAluminiumAluminiumFront grillBlackChromeChrome	Tyre dimension		·	
Front grill Black Chrome Chrome	EXTERIOR	LC300 3.3D GX-R 10-AT	LC300 3.3D VX 10-AT	LC300 3.3D VX-R 10-AT
	Wheels	Aluminium	Aluminium	Aluminium
Front bumpers Colored Colored Colored Color with Chrome	Front grill	Black	Chrome	Chrome
	Front bumpers	Colored	Colored	Color with Chrome



τογοτα

LAND CRUISER 300

-			
Rear bumpers	Colored	Colored	Color with Chrome
Door mirrors	Body colour	Chrome	Chrome
Adjustable side mirrors	Electric	Electric	Electric
Folding side mirrors	Electric	Electric	Electric
Spoiler	Rear	Rear	Rear
Roof rail	~	~	~
Towing hook	Rear	Rear	Rear
INTERIOR & COMFORT	LC300 3.3D GX-R 10-AT	LC300 3.3D VX 10-AT	LC300 3.3D VX-R 10-AT
Radio	Radio CD / MP3	Radio CD / MP3	Radio CD / MP3
Connections	USB , Bluetooth , Apple CarPlay , Android Auto	USB , Bluetooth , Apple CarPlay , Android Auto	USB , Bluetooth , Apple CarPlay , Android Auto , MirrorLink
Handsfree kit	~	✓	✓
Touchscreen	7"	7"	12.3"
Wifi	~	×	✓
Wireless Charging	-	~	~
Steering wheel audio control	✓	✓	~
Loud speakers	6	6	14
Multi-media system	-	-	DVD reader - Rear
Air conditionning	Automatic driver & passenger	Automatic multi-zone	Automatic multi-zone
Coolbox	*		✓
Central armrest	Front , Rear	Front , Rear	Front , Rear
Cup holder(s)	Front , Rear	Front , Rear	Front , Rear
Power windows	Front , Rear	Front , Rear	Front , Rear
Privacy windows	-	Rear	-
Central door locking	Yes	Yes	Yes
Central door locking while driving	-	✓	✓
Smart keys	✓	×	✓
Push & start system	✓	×	✓
Keyless entry system	✓	×	
Steering wheel	Leather	Leather	Leather
Adjustable steering wheel	Height and reach adjustable	Electric height and reach adjustable	Electric height and reach adjustable
Sunroof	Electric	Electric	Electric
Upholstery	Fabric	Leather	Leather
Driver seat	Height and reach adjustable	Height and reach adjustable	Height and reach adjustable
Power seats	Driver	Driver & Passenger	Driver & Passenger
Memory seats	-	-	 ✓
Heated seats	-	-	✓
Air conditioned seats		-	×
2nd row seats	Folding 40/60	Folding 40/60	Folding 40/60
Power Steering	✓	×	 Image: A set of the set of the
Parking sensor	Front / Rear	Front / Rear	Front / Rear
Videocamera	Rear	Rear	Front / Rear / Side
Electric Tailgate	-	Opener & Locking	Opener & Locking
PASSIVE SAFETY	LC300 3.3D GX-R 10-AT	LC300 3.3D VX 10-AT	LC300 3.3D VX-R 10-AT
Airbags	Driver , Passenger	Driver , Passenger , Side & Curtains , Curtains	Driver , Passenger , Side & Curtains , Curtains
Anti-theft alarm	✓	×	×
Seatbelts - Front	2 x 3 points	2 x 3 points	2 x 3 points
Seatbelts - 2nd row	3 x 3 points	3 x 3 points	3 x 3 points
Seatbelts - 3rd row	2 x 3 points	2 x 3 points	2 x 3 points
Headrests	Front , 2nd row , 3rd row	Front , 2nd row , 3rd row	Front , 2nd row , 3rd row
Active headrests	•	-	 ✓
Height adjustable lights	Manual	Automatic	Automatic
Spare wheel	Alloy	Alloy	Alloy
Spare Wheel Location	Under the Vehicle	Under the Vehicle	Under the Vehicle
ACTIVE SAFETY	LC300 3.3D GX-R 10-AT	LC300 3.3D VX 10-AT	LC300 3.3D VX-R 10-AT
Immobilizer	×	~	~
		-	-





LAND CRUISER 300

Seatbelt warning	✓	×	✓
Headlamps	LED	LED	LED
Daytime running lights	LED	LED	LED
Fog lamps	-	Front	Front , Rear
Rain sensor	-	✓	~
Electronic stability control	VSC	VSC	VSC
Brake assist	✓	✓	✓
Hill-start assist control	✓	✓	✓
Downhill assist control	-	✓	~
ABS	✓	✓	~
Cruise control	✓	✓	~
Trailer Sway Control (TSC)	✓	×	~
Demister	Rear windows	Rear windows	Rear windows



